

MOVECONTROL

Manoeuvring systems



Extremely accurate using Reich Know how




MOVECONTROL



COMPACT

- **Our most powerful MoveControl**
- State-of-the-art technology
- Fully automatic
- SOFTSTART and SOFTSTOP for highly accurate smooth manoeuvring and jolt free start up on almost every surface
- **SAFETY CONTROL** function makes for a safe stop on incline, automatically protecting your caravan and manoeuvring drive from overload. When pivoting in position the SAFETY CONTROL function offers additional safety through it two-handed operation.
- Aluminium drive rollers with patent pending surface
- The smoothest drive concept for tyres and battery
- Individual switch-off of each drive unit with optimum engagement pressure
- Galvanised steel frame
- Compact design - narrow fitting depth
- One single remote for all functions

Weight: approx 33 kgs
 Total Trailer Weight: 2,000 kg
 Total Tandem Weight: 3,000 kg
 Climbing power at 1,200 kg: 30%
 Remote: RC3
 Horizontal engagement operation - automatic
 Motor Drive: standard
Made in Germany
 Warranty 5 years*



MC Compact
MC Twin Compact 4WD

527-0510
527-0513



EcoLine

- **Fully automatic manoeuvring system for an attractive price**
- Very powerful lightweight system
- State-of-the-art technology
- SOFTSTART and SOFTSTOP for highly accurate smooth manoeuvring and jolt free start up on almost every surface
- **SAFETY CONTROL** function makes for a safe stop on incline, automatically protecting your caravan and manoeuvring drive from overload. When pivoting in position the SAFETY CONTROL function offers additional safety through it two-handed operation.
- Aluminium drive rollers
- The smoothest drive concept for tyres and battery
- Individual switch-off of each drive unit with optimum engagement pressure
- Galvanised steel frame
- Compact design - narrow fitting depth
- One single remote for all functions

Weight: approx 34 kgs
 Total Trailer Weight: 1,800 kg
 Total Tandem Weight: 2,800 kg
 Climbing power at 1,200kg: 28%
 Remote: RC3
 Horizontal engagement operation - automatic
 Motor Drive: standard
Made in Germany
 Warranty 5 years*



MC EcoLine
MC EcoLine Twin 4WD

527-0580
527-0582



*"The MoveControl Compact offers a sound performance... In terms of accuracy the system is the best of its class ... a real bargain."
 (Caravanning, Issue 6/2012)*



COMFORT

- Semi-automatic
- SOFTSTART and SOFTSTOP function
- The widest aluminium drive rollers with patented surface structure
- Complete protection against corrosion through the use of high-quality galvanised and powder coated components
- Horizontal engagement operation
- One single remote for all operations
- Motors located inside the chassis, i.e. out of the spray area from the tyres
- Direct drive rollers
- Automatic engagement of the rollers available via MotorDrive kit

Weight: approx 33 kgs
 Total Trailer Weight: 2,000 kg
 Total Tandem Weight: 3,000 kg
 Climbing power at 1,200 kg: 25 %
 Remote: RC2
 Horizontal engagement operation
 Motor Drive: optional
Made in Germany
 Warranty 5 years*



MC Comfort	527-0521
incl. MotorDrive	527-0522
MC Comfort Twin 4WD	527-0541
incl. MotorDrive	527-0542

ECONOMY

- Semi-automatic
- SOFTSTART and SOFTSTOP function
- Aluminium drive rollers
- **Affordably priced model**
- Tried and tested technology
- Protection against corrosion through the use of high-quality powder coated components
- Horizontal engagement operation
- One single remote for all operations
- Motors located inside the chassis, i.e. out of the spray area from the tyres
- Direct drive rollers
- Protective drive cover and MotorDrive may not be retrofitted

Weight: approx 36 kgs
 Total Trailer Weight: 2,000 kg
 Total Tandem Weight: 3,000 kg
 Climbing power at 1,200 kg: 25 %
 Remote: RC1
 Horizontal engagement operation
 Motor Drive: not possible
Made in Germany
 Warranty 5 years*



MC Economy	527-0535
MC Economy Twin 4WD	527-0555
MC Economy Light	527-0538
MC Economy Light Twin 4WD	527-0558




ACCESSORIES



MPP – Mobility Power Pack (replacing battery and charger)

Battery type Li-ion (LiFeO₄, capacity 8.8 Ah, stored energy 113 Ah, output voltage 12 V nominal (14.6 max.), permanent load 80 A, solar panel and fuel cell may be connected up to 3 A max., 230 V 1 A power pack, safety functions (against overload, discharging, surge voltage incl. short-circuit), weight approx. 2.0 kg


Item no. 526-2080



Impulse R10 Charger

Fully automatic charger for AGM, gel and acid batteries which may also be used as a 12 V power pack. Micro controller, charging acc. to IUoU curve, low weight, no fan, TÜV and GS certified, max. charging current 10 A, max. charging voltage 14.4 V, L 150 mm, W 120 mm, H 70 mm, weight approx. 1.3 kg

Item no. 526-2050



Energy Set I

For all manoeuvring drives, consisting of: AGM battery, capacity: 80 Ah (K100) / 70 Ah (K20) charger Impuls R10, with micro controller

Item no. 527-0060

Energy Set II (for heavy tandem axle vehicles)

Like Set I, but with AGM battery, capacity: 110 Ah (K100) / 95 Ah (K20)

Item no. 527-0062

Double Jockey wheel kit

Dual jack wheel kit for easy and safe manoeuvring on all surfaces, protecting the drive against wear and tear.

Item no. 537-1000



**Europe wide
service network for
peace of mind**



TLC – Towbar
Load Control



CWC – Caravan
Weight Control



REICH UK Office

Tel No 01543 459243

Fax No 01543 275929

infoUK@reich-web.com

www.reich-web.com

REICH GmbH – Your specialist for:

Water taps · Submersible pumps · Manoeuvring systems · Electronics